
FORM 3

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

					DIVISION O						AMENI	DED REPOR	RT 🔟	
APPLICATION FOR PERMIT TO DRILL							1. WELL NAME and NUMBER GMBU C-34-8-17							
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL DEEPEN WELL							3. FIELD OR WILDCAT MONUMENT BUTTE							
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO							5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)							
6. NAME C	F OPERATOR		NEWFIELD PROD	DUCTIO	ON COMPANY					7. OPERATOR PHONE 435 646-4825				
8. ADDRES	S OF OPERATO	DR .	Rt 3 Box 3630	Mytor	n. UT. 84052			9. OPERATOR E-MAIL mcrozier@newfield.com						
	AL LEASE NUM			11.	. MINERAL OWNERS	HIP			_	12. SURFACE OWNERSHIP				
		UTU-76241			FEDERAL IND	NDIAN STATE FEE			FEDERAL INDIAN STATE FEE					
13. NAME	OF SURFACE (OWNER (if box 12 =	= 'fee')						14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRI	ESS OF SURFA	CE OWNER (if box	12 = 'fee')							16. SURFACE OWNER E-MAIL (if box 12 = 'fee')				
	I ALLOTTEE OF = 'INDIAN')	R TRIBE NAME			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS				19. SLANT					
(II DOX 12	= INDIAN)				YES (Submit Commingling Application) NO				VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCA	TION OF WELL			FOOT	OTAGES		R-QTR	SECTION		TOWNSHIP	RANGE		MERIDIAN	
LOCATIO	N AT SURFACE		544	FSL ′	1734 FEL	8	SWSE	27		8.0 S	17.0 E		S	
Top of U	ppermost Prod	ucing Zone	182	FSL 2	L 2354 FEL		SWSE	27		8.0 S	17.0 E		S	
At Total Depth 141 FNI			FNL 2	_ 2341 FWL		IENW	ENW 34		8.0 S		17.0 E S		S	
21. COUN	TY	DUCHESNE		22.	22. DISTANCE TO NEAREST LEASE LINE (Feet) 141				23. NUMBER OF ACRES IN DRILLING UNIT					
				i. DISTANCE TO NEAREST WELL IN SAME POOL pplied For Drilling or Completed) 1001				26. PROPOSED DEPTH MD: 6545 TVD: 6370						
27. ELEVA	TION - GROUN	D LEVEL		28.	28. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE				
		5057			WYB000493				437478					
String	Hole Size	Casing Size	Length	Weigh	Hole, Casing,		Max Mu			Cement Sacks Yield Weight				
SURF	12.25	8.625	0 - 300	24.0			8.3		Class G			138	1.17	15.8
PROD	7.875	5.5	0 - 6545	15.5			8.3		Prei	mium Lite High Strength		314	3.26	11.0
										50/50 Poz		363	1.24	14.3
					A	TTACH	IMENTS							
	VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES													
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED))	TOPOGRAPHICAL MAP									
NAME Heather Calder				Т	TITLE Production Technician				PHONE 435 646-4936					
SIGNATURE				DATE 10/17/2013				EMAIL hcalder@newfield.com						
API NUMBER ASSIGNED 43013525720000			A	APPROVAL Permit Manager										

T8S, R17E, S.L.B.&M.



BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (CENTER OF PATTERN)	NAD 83 (SURFACE LOCATION)
LATITUDE = 40°04'54.21"	LATITUDE = 40°04'59.42"
LONGITUDE = 109°59'33.89"	LONGITUDE = 109°59'21.82"
NAD 27 (CENTER OF PATTERN)	NAD 27 (SURFACE LOCATION)
LATITUDE = 40°04'54.35"	LATITUDE = 40°04'59.55"
LONGITUDE = 109°59'31.35"	LONGITUDE = 109°59'19.28"


NEWFIELD EXPLORATION COMPANY

WELL LOCATION, C-34-8-17, LOCATED AS SHOWN IN THE SW 1/4 SE 1/4 OF SECTION 27, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 15' FSL & 2671' FEL.




TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 06-17-13	SURVEYED BY: C.S.	VERSION:
DATE DRAWN: 08-06-13	DRAWN BY: L.K.	\ /1
REVISED:	SCALE: 1" = 1000'	VI

T8S, R17E, S.L.B.&M.



BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NAD 83 (BOTTOM HOLE LOCATION)

LATITUDE = 40°04'52.68"

LONGITUDE = 109'59'37.45"

NAD 27 (BOTTOM HOLE LOCATION)

LATITUDE = 40°04'52.81"

LONGITUDE = 109'59'34'91"


NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, C-34-8-17, LOCATED AS SHOWN IN THE NE 1/4 NW 1/4 OF SECTION 34, T8S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

	· '	
DATE SURVEYED: 06-17-13	SURVEYED BY: C.S.	VERSION:
DATE DRAWN: 08-06-13	DRAWN BY: L.K.	\ /1
REVISED:	SCALE: 1" = 1000'	V I